




---

 PRODUCT-DETAILS

# Sentry SSR10M

## Sentry SSR10M Safety relay




---

### General Information

<b>Extended Product Type:</b>	Sentry SSR10M
<b>Product ID:</b>	2TLA010050R0100
<b>EAN:</b>	7350024483291
<b>Catalog Description:</b>	Sentry SSR10M Safety relay
<b>Long Description:</b>	<p>Sentry SSR10M Safety relay with relay outputs 3NO+1NC, 85-265 VAC/120-375 VDC supply voltage and screw terminals. For monitoring of safety devices with contacts, 2 equivalent channels. Manual or automatic reset selectable by switch on front.</p> <p>Sentry safety relays cover various types of safety applications up to PLe / SIL3. Basic models provide reliable supervision of simpler safety functions, while universal models provide advanced features and high flexibility. Models with display offer preset configurations and extensive information to further simplify troubleshooting. Additional variants offer a high accuracy timer function of <math>\pm 1\%</math> and an adjustable time setting range from 0-999 s. High output current capacity of up to 6 A can save the use of an intermediary contactor. Multi-reset allows up to 10 safety relays connected to one reset light-button. All models are available with detachable push-in or screw terminals. Terminals and coding kit to mark removed terminals are available as accessories.</p>
<b>Display Name:</b>	Sentry SSR10M

---

## Ordering

---

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85364900
Product Main Type:	SSR
Product Name:	Safety relay
Function:	Safety relay for monitoring of safety devices
Sub-Function:	Start/test input, Manual/Auto reset selectable by switch
Special Functions:	Manual/Auto reset selectable by switch

---

---

## Popular Downloads

---

Data Sheet, Technical Information:	2TLC010037L0201
CAD Dimensional Drawing:	2CDC001079B0201
EPLAN Data:	9AAC188686_EPLAN
Marketing Video:	2TLC010019N0201 2TLC010018N0201

---

---

## Installation

---

Instructions and Manuals:	2TLC010064M0201
Wiring Diagram:	2TLC010008T0001

---

---

## Dimensions

---

Product Net Depth / Length:	120 mm
Product Net Height:	120 mm
Product Net Width:	22.5 mm
Product Net Weight:	0.214 kg
Dimension Diagram:	2TLC010001U0201

---

---

## Safety Information

---

Certification Agency:	cULus TÜV SÜD CE CCC RCM S UKCA KC
Performance Level (PL):	Up to e
Safety Integrity Level (SIL):	3

---

---

## Technical

---

<b>Number of Outputs:</b>	Failsafe (Relay) 4
<b>Rated Control Supply Voltage (U<sub>s</sub>):</b>	120 ... 375 V DC 85 ... 265 V AC

---



---

## Environmental

---

<b>Ambient Air Temperature:</b>	Operation -25 ... +65 °C Storage -40 ... +70 °C
<b>Degree of Protection:</b>	IP20
<b>Operating Humidity (RH<sub>amb</sub>):</b>	10% ... 90%; no icing; occasional condensation

---



---

## Material Compliance

---

<b>Conflict Minerals Reporting Template (CMRT):</b>	9AKK108467A5658
<b>REACH Declaration:</b>	2CMT2022-006480
<b>RoHS Declaration:</b>	2CMT2022-006499
<b>RoHS Information:</b>	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
<b>Toxic Substances Control Act - TSCA:</b>	2CMT2023-006522
<b>WEEE B2C / B2B:</b>	Business To Business
<b>WEEE Category:</b>	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

## Certificates and Declarations

---

<b>CQC Certificate:</b>	CQC2017010303977544
<b>cUL Certificate:</b>	2TLC010006D0201
<b>cULus Certificate:</b>	2TLC010007D0201
<b>Declaration of Conformity - CCC:</b>	2020980303000244
<b>Declaration of Conformity - CE:</b>	2TLC010010D0201
<b>Declaration of Conformity - UKCA:</b>	2TLC010190D0201
<b>KC Certificate:</b>	2TLC010048D0201
<b>TÜV Certificate:</b>	2TLC010008D0201

---



---

## Container Information

---

<b>Package Level 1 Units:</b>	box 1 piece
<b>Package Level 1 Width:</b>	125 mm
<b>Package Level 1 Depth / Length:</b>	31 mm
<b>Package Level 1 Height:</b>	129 mm
<b>Package Level 1 Gross Weight:</b>	0.275 kg
<b>Package Level 1 EAN:</b>	7350024483291

---

## External Classifications and Standards

<b>eClass:</b>	V11.0 : 27371819
<b>ETIM 7:</b>	EC001449 - Device for monitoring of safety-related circuits
<b>ETIM 8:</b>	EC001449 - Device for monitoring of safety-related circuits
<b>ETIM 9:</b>	EC001449 - Device for monitoring of safety-related circuits
<b>IDEA Granular Category Code (IGCC):</b>	5367 >> Control relay
<b>UNSPSC:</b>	39122331
<b>Object Classification Code:</b>	K
<b>E-Number (Finland):</b>	2712523
<b>E-Number (Sweden):</b>	3860820

## Accessories

Identifier	Description	Type	Qty	Unit Of Measure
2TLA010099R0000	Sentry S30A Terminal block	Sentry S30A	1	piece
2TLA010099R0100	Sentry S30B Coding kit	Sentry S30B	1	piece
2TLA010099R0001	Sentry S30C Terminal block	Sentry S30C	1	piece

## Categories

Products > Low Voltage Products and Systems > Control Products > Electronic Relays and Controls > Safety Relays > Single Function Safety Relays

Products > Low Voltage Products and Systems > Control Products > Safety Products > Safety Relays > Single Function Safety Relays

