Eaton FMVA15LCY-UNV1-76-S903

Catalog Number: FMVA15LCY-UNV1-76-S903

Eaton Crouse-Hinds series Champ FMVA LED floodlight, Cool white, Dimmable driver, 3/4" entry, 500W equivalent, Polycarbonate lens, 15000 lumens, 140 lm/W, Die cast aluminum, Yoke mount, 100-277 Vac, 108-250 Vdc, 113W, 7x6 optics

General specifications



Product Name

Eaton Crouse-Hinds series Champ

FMVA LED floodlight

Product Length/Depth

15.5 in

Product Width

7 in

Catalog Number

FMVA15LCY-UNV1-76-S903

UPC

662276879591

Product Height

12 in

Product Weight

31.8 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

IEC

IECEx/ATEX

NEC hazardous rating

Class I, Division 2

Class I, Zone 2

Class II, Division 1

Class III

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

LED

Lumens

15000

Lumens per watt

140

Color temperature

Cool white

Mounting Method

Yoke

Voltage rating

100-277 Vac, 108-250 Vdc

Frequency rating

50/60 Hz

Optical distribution

7x6

Entry size

3/4"

Lens material

Polycarbonate

Wattage

113W

Dimming

Dimmable driver

Equivalent luminaire

500W

Power factor

> 0.90

Material

Die cast aluminum

Resources

3D models

Floodlights

Brochures

Crouse-Hinds series DLC approved lighting products

Crouse-Hinds series Champ FMVA LED Floodlights - 9,000 to 15,000 lumens brochure

Catalogs

Crouse-Hinds series Champ FMVA LED Floodlights - 9,000 to 15,000 lumens catalog page

Certification reports

Champ FMVA LED Hazardous Area Floodlights ABS certification

Champ FMVA LED Hazardous Area Floodlights UL certification

Champ FMVA LED Hazardous Area Floodlights Canadian certification

Champ FMVA LED Hazardous Area Floodlights EC-Declaration of Conformity

Champ FMVA LED Hazardous Area Floodlights IECEx Certificate of Conformity

Champ FMVA LED Hazardous Area Floodlights ATEX Certificate

Installation instructions

IF 1883 - Champ FMVA LED Floodlight

IF 1889 - Champ FMVA/PFMA LED Floodlight Driver Replacement

Specifications and datasheets

Eaton Specification Sheet - FMVA15LCY-UNV1-76-S903



Eaton Corporation plc **Eaton House** 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia