

## Lamps / LED

### LED Fairy Lamp - ES - 2700K



Our new LED Fairy Lamps deliver a unique twist to LED Lighting. Ideal for accent lighting, providing a decorative sparkle. Perfect for events and celebrations both indoor and outside when used with a suitable weatherproof fitting.

- Warm White / Cool White / RGB.
- Clear finish.
- Decorative Sparkle.
- Ideal for events & celebrations.
- 10000 Hours.

## Technical Specification

<b>Product Code</b>	60160
---------------------	-------

### Reference

<b>Guarantee</b>	3 Years
------------------	---------

<b>EAN</b>	5013588601601
------------	---------------

<b>Commodity Code</b>	8539520000
-----------------------	------------

<b>Country of Origin</b>	CN
--------------------------	----

## Technical Specification

Volts (V)	240
Watts (W)	2.2
Cap	ES/E27
Colour Temp (K)	2700
Dimmable?	No
Lumens (lm)	75
Life Hours	10000
Beam Angle	360°
Energy Rating	G
CRI (ra)	80
Switching Cycles	10000
Frequency (Hz)	50/60
LED Drive Current	350mA
Energy Consumption (kWh/1000h)	2.2

## Dimensions

Height (mm)	164.3
Diameter (mm)	125

## Packaging Information

Single Carton Height (mm)	187
Single Carton Width (mm)	129
Single Carton Depth (mm)	129
Single Carton Weight (kg)	0.237
Individual Volume	0.00311
Inner Box Qty	10
Inner Box Height (mm)	202
Inner Box Width (mm)	270
Inner Box Depth (mm)	665
Inner Box Weight (kg)	2.72174
Outer Box Qty	20
Outer Box Height (mm)	423
Outer Box Width (mm)	280
Outer Box Depth (mm)	675
Outer Box Weight (kg)	5.95555

## Lamps / LED

### LED Fairy Lamp - ES - 4000K



Our new LED Fairy Lamps deliver a unique twist to LED Lighting. Ideal for accent lighting, providing a decorative sparkle. Perfect for events and celebrations both indoor and outside when used with a suitable weatherproof fitting.

- Warm White / Cool White / RGB.
- Clear finish.
- Decorative Sparkle.
- Ideal for events & celebrations.
- 10000 Hours.

## Technical Specification

<b>Product Code</b>	60161
---------------------	-------

### Reference

<b>Guarantee</b>	3 Years
------------------	---------

<b>EAN</b>	5013588601618
------------	---------------

<b>Commodity Code</b>	8539520000
-----------------------	------------

<b>Country of Origin</b>	CN
--------------------------	----

## Technical Specification

Volts (V)	240
Watts (W)	2.2
Cap	ES/E27
Colour Temp (K)	4000
Dimmable?	No
Lumens (lm)	75
Life Hours	10000
Beam Angle	360°
Energy Rating	G
CRI (ra)	80
Switching Cycles	10000
Frequency (Hz)	50/60
LED Drive Current	350mA
Energy Consumption (kWh/1000h)	2.2

## Dimensions

Height (mm)	164.3
Diameter (mm)	125

## Packaging Information

Single Carton Height (mm)	187
Single Carton Width (mm)	129
Single Carton Depth (mm)	129
Single Carton Weight (kg)	0.234
Individual Volume	0.00311
Inner Box Qty	10
Inner Box Height (mm)	202
Inner Box Width (mm)	270
Inner Box Depth (mm)	665
Inner Box Weight (kg)	2.69174
Outer Box Qty	20
Outer Box Height (mm)	423
Outer Box Width (mm)	280
Outer Box Depth (mm)	675
Outer Box Weight (kg)	5.89555

Lamps / LED

LED RGB Fairy Lamp - ES



Our new LED Fairy Lamps deliver a unique twist to LED Lighting. Ideal for accent lighting, providing a decorative sparkle. Perfect for events and celebrations both indoor and outside when used with a suitable weatherproof fitting.

- Warm White / Cool White / RGB.
- Clear finish.
- Decorative Sparkle.
- Ideal for events & celebrations.
- 10000 Hours.

Technical Specification

**Product Code** 60162

**Reference**

**Guarantee** 3 Years

**EAN** 5013588601625

**Commodity Code** 8539520000

**Country of Origin** CN

**Technical Specification**

**Volts (V)** 240

**Watts (W)** 1.5

**Cap** ES/E27

**Dimmable?** No

**Lumens (lm)** 20

**Life Hours** 10000

**Beam Angle** 360°

**Energy Rating** G

**CRI (ra)** 70

**Switching Cycles** 10000

**Frequency (Hz)** 50/60

**LED Drive Current** 180mA

**Energy Consumption (kWh/1000h)** 1.5

## Dimensions

Height (mm)	164.3
Diameter (mm)	125

## Packaging Information

Single Carton Height (mm)	187
Single Carton Width (mm)	129
Single Carton Depth (mm)	129
Single Carton Weight (kg)	0.233
Individual Volume	0.00311
Inner Box Qty	10
Inner Box Height (mm)	202
Inner Box Width (mm)	270
Inner Box Depth (mm)	665
Inner Box Weight (kg)	2.68174
Outer Box Qty	20
Outer Box Height (mm)	423
Outer Box Width (mm)	280
Outer Box Depth (mm)	675
Outer Box Weight (kg)	5.87555