

Lamps / LED

LED 4W Clear Filament Round - BC - 2700K



The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament Round is ideal for all bedside decorative lighting along with all other similar applications.

- LED Technology with the elegance of Incandescent Lamps.
- Creates a welcoming atmosphere with retro feel.
- Argon gas filled to improve life.
- Smooth dimming on rotary and digital dimming systems.
- Full glass envelope (exc SBC & SES).

Technical Specification

Product Code	05030
---------------------	-------

Reference

Guarantee	3 Years
------------------	---------

EAN	5013588050300
------------	---------------

Commodity Code	8539520000
-----------------------	------------

Country of Origin	CN
--------------------------	----

UNSPSC Code	39101628
--------------------	----------

Technical Specification

Volts (V)	240
Watts (W)	4
Cap	BC/B22
Colour Temp (K)	2700
Dimmable?	No
Lumens (lm)	470
Life Hours	15000
Beam Angle	300°
Energy Rating	E
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
LED Drive Current	22mA
Energy Consumption (kWh/1000h)	4

Dimensions

Height (mm)	78
Diameter (mm)	45

Packaging Information

Single Carton Height (mm)	90
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.04
Individual Volume	0.00023
Inner Box Qty	10
Inner Box Height (mm)	100
Inner Box Width (mm)	270
Inner Box Depth (mm)	110
Inner Box Weight (kg)	0.41
Outer Box Qty	100
Outer Box Height (mm)	220
Outer Box Width (mm)	580
Outer Box Depth (mm)	290

Lamps / LED

LED 4W Satin Filament Round - BC - 2700K



The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament Round is ideal for all bedside decorative lighting along with all other similar applications.

- LED Technology with the elegance of Incandescent Lamps.
- Creates a welcoming atmosphere with retro feel.
- Argon gas filled to improve life.
- Smooth dimming on rotary and digital dimming systems.
- Full glass envelope (exc SBC & SES).

Technical Specification

Product Code	60100
---------------------	-------

Reference

Guarantee	3 Years
------------------	---------

EAN	5013588601007
------------	---------------

Commodity Code	8539520000
-----------------------	------------

Country of Origin	CN
--------------------------	----

UNSPSC Code	39101628
--------------------	----------

Technical Specification

Volts (V)	240
Watts (W)	4
Cap	BC/B22
Colour Temp (K)	2700
Dimmable?	No
Lumens (lm)	470
Life Hours	15000
Beam Angle	300°
Energy Rating	E
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	4

Dimensions

Height (mm)	78
Diameter (mm)	45

Packaging Information

Single Carton Height (mm)	90
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.04
Individual Volume	0.00023
Inner Box Qty	10
Inner Box Height (mm)	100
Inner Box Width (mm)	270
Inner Box Depth (mm)	110
Inner Box Weight (kg)	0.41
Outer Box Qty	100
Outer Box Height (mm)	220
Outer Box Width (mm)	580
Outer Box Depth (mm)	290

Lamps / LED

LED 4W Satin Filament Round - SES - 2700K



The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament Round is ideal for all bedside decorative lighting along with all other similar applications.

- LED Technology with the elegance of Incandescent Lamps.
- Creates a welcoming atmosphere with retro feel.
- Argon gas filled to improve life.
- Smooth dimming on rotary and digital dimming systems.
- Full glass envelope (exc SBC & SES).

Technical Specification

Product Code	60102
---------------------	-------

Reference

Guarantee	3 Years
------------------	---------

EAN	5013588601021
------------	---------------

Commodity Code	8539520000
-----------------------	------------

Country of Origin	CN
--------------------------	----

UNSPSC Code	39101628
--------------------	----------

Technical Specification

Volts (V)	240
Watts (W)	4
Cap	SES/E14
Colour Temp (K)	2700
Dimmable?	No
Lumens (lm)	470
Life Hours	15000
Beam Angle	300°
Energy Rating	E
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	4

Dimensions

Height (mm)	78
Diameter (mm)	45

Packaging Information

Single Carton Height (mm)	90
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.04
Individual Volume	0.00023
Inner Box Qty	10
Inner Box Height (mm)	100
Inner Box Width (mm)	270
Inner Box Depth (mm)	110
Inner Box Weight (kg)	0.41
Outer Box Qty	100
Outer Box Height (mm)	220
Outer Box Width (mm)	580
Outer Box Depth (mm)	290

Lamps / LED

LED 4W Clear Filament Round - BC - 4000K



The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament Round is ideal for all bedside decorative lighting along with all other similar applications.

- LED Technology with the elegance of Incandescent Lamps.
- Creates a welcoming atmosphere with retro feel.
- Argon gas filled to improve life.
- Smooth dimming on rotary and digital dimming systems.
- Full glass envelope (exc SBC & SES).

Technical Specification

Product Code	60120
---------------------	-------

Reference

Guarantee	3 Years
------------------	---------

EAN	5013588601205
------------	---------------

Commodity Code	8539520000
-----------------------	------------

Country of Origin	CN
--------------------------	----

UNSPSC Code	39101628
--------------------	----------

Technical Specification

Volts (V)	240
Watts (W)	4
Cap	BC/B22
Colour Temp (K)	4000
Dimmable?	No
Lumens (lm)	470
Life Hours	15000
Beam Angle	300°
Energy Rating	E
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	4

Dimensions

Height (mm)	78
Diameter (mm)	45

Packaging Information

Single Carton Height (mm)	90
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.04
Individual Volume	0.00023
Inner Box Qty	10
Inner Box Height (mm)	100
Inner Box Width (mm)	270
Inner Box Depth (mm)	110
Inner Box Weight (kg)	0.41
Outer Box Qty	100
Outer Box Height (mm)	220
Outer Box Width (mm)	580
Outer Box Depth (mm)	290