

## Lamps / LED

### LED 4W Clear Filament Short Tubular - BC - 2700K



The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Tubular Filaments provide a distinctive look when illuminated in any bar or restaurant.

- LED Technology with the elegance of Incandescent Lamps.
- Creates a welcoming atmosphere with retro feel.
- Argon gas filled to improve life.

## Technical Specification

<b>Product Code</b>	60145
---------------------	-------

### Reference

<b>Guarantee</b>	3 Years
<b>EAN</b>	5013588601458
<b>Commodity Code</b>	8539520000
<b>Country of Origin</b>	CN
<b>UNSPSC Code</b>	39101628

## Technical Specification

Volts (V)	240
Watts (W)	4
Cap	BC/B22
Colour Temp (K)	2700
Dimmable?	No
Lumens (lm)	470
Life Hours	15000
Beam Angle	300°
Energy Rating	E
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	4

## Dimensions

Height (mm)	110
Diameter (mm)	45

## Packaging Information

Single Carton Height (mm)	130
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.06
Individual Volume	0.00033
Inner Box Qty	20
Inner Box Height (mm)	150
Inner Box Width (mm)	270
Inner Box Depth (mm)	210
Inner Box Weight (kg)	1.2
Outer Box Qty	100
Outer Box Height (mm)	230
Outer Box Width (mm)	770
Outer Box Depth (mm)	290

## Lamps / LED

### LED 4W Clear Filament Short Tubular - ES - 2700K



The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Tubular Filaments provide a distinctive look when illuminated in any bar or restaurant.

- LED Technology with the elegance of Incandescent Lamps.
- Creates a welcoming atmosphere with retro feel.
- Argon gas filled to improve life.

## Technical Specification

Product Code	60146
--------------	-------

### Reference

Guarantee	3 Years
EAN	5013588601465
Commodity Code	8539520000
Country of Origin	CN
UNSPSC Code	39101628

## Technical Specification

Volts (V)	240
Watts (W)	4
Cap	ES/E27
Colour Temp (K)	2700
Dimmable?	No
Lumens (lm)	470
Life Hours	15000
Beam Angle	300°
Energy Rating	E
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	4

## Dimensions

Height (mm)	110
Diameter (mm)	45

## Packaging Information

Single Carton Height (mm)	130
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.06
Individual Volume	0.00033
Inner Box Qty	20
Inner Box Height (mm)	150
Inner Box Width (mm)	270
Inner Box Depth (mm)	210
Inner Box Weight (kg)	1.2
Outer Box Qty	100
Outer Box Height (mm)	230
Outer Box Width (mm)	770
Outer Box Depth (mm)	290

## Lamps / LED

# LED 4W Clear Filament Medium Tubular - ES - 2700K



The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Tubular Filaments provide a distinctive look when illuminated in any bar or restaurant.

- LED Technology with the elegance of Incandescent Lamps.
- Creates a welcoming atmosphere with retro feel.
- Argon gas filled to improve life.

## Technical Specification

Product Code	60147
--------------	-------

### Reference

Guarantee	3 Years
EAN	5013588601472
Commodity Code	8539520000
Country of Origin	CN
UNSPSC Code	39101628

## Technical Specification

Volts (V)	240
Watts (W)	4
Cap	ES/E27
Colour Temp (K)	2700
Dimmable?	No
Lumens (lm)	470
Life Hours	15000
Beam Angle	300°
Energy Rating	E
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	4

## Dimensions

Height (mm)	130
Diameter (mm)	30

## Packaging Information

Single Carton Height (mm)	150
Single Carton Width (mm)	40
Single Carton Depth (mm)	40
Single Carton Weight (kg)	0.05
Individual Volume	0.00024
Inner Box Qty	10
Inner Box Height (mm)	160
Inner Box Width (mm)	220
Inner Box Depth (mm)	90
Inner Box Weight (kg)	0.6
Outer Box Qty	50
Outer Box Height (mm)	180
Outer Box Width (mm)	480
Outer Box Depth (mm)	240