



Lamps / LED

LED 4W Vintage Amber 110mm Tubular - BC - 2000K



The LED Vintage Lamp has become one of the most recognisable lamp types on the market. Widely used in the hospitality sector and domestically alike, the LED Vintage Lamp combines a traditional look with the energy saving benefits of LED Lighting. The Vintage Tubular's can provide a distinctive look when illuminated in any bar or restaurant.

- Dimmable and Non-Dimmable available.
- Special extended filament to replicate traditional vintage amber glow.
- Amber Glass Coating For Decorative Vintage Look.
- Over 90% energy saving compared to Incandescent Vintage Lamps.
- Super low energy consumption.

Technical Specification

Reference	
Guarantee	3 Years
EAN	5013588014388
Commodity Code	8539520000
Country of Origin	CN
UNSPSC Code	39101628

01438



Product Code





Technical Specification

Volts (V)	240
Watts (W)	4
Сар	BC/B22
Colour Temp (K)	2000
Dimmable?	No
Lumens (lm)	330
Life Hours	15000
Beam Angle	300°
Energy Rating	G
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
LED Drive Current	30mA
Energy Consumption (kWh/1000h)	4
Dimensions	
Height (mm)	110
Diameter (mm)	45
Packaging Information	
Single Carton Height (mm)	130
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.06
Individual Volume	0.00033
Inner Box Qty	20
Inner Box Height (mm)	150
Inner Box Width (mm)	270
Inner Box Depth (mm)	210
Inner Box Weight (kg)	1.2
Outer Box Qty	100
Outer Box Height (mm)	230
Outer Box Width (mm)	770
Outer Box Depth (mm)	290







Lamps / LED

LED 4W Vintage Amber 130mm Tubular - ES - 2000K



The LED Vintage Lamp has become one of the most recognisable lamp types on the market. Widely used in the hospitality sector and domestically alike, the LED Vintage Lamp combines a traditional look with the energy saving benefits of LED Lighting. The Vintage Tubular's can provide a distinctive look when illuminated in any bar or restaurant.

- Dimmable and Non-Dimmable available.
- Special extended filament to replicate traditional vintage amber glow.
- Amber Glass Coating For Decorative Vintage Look.
- Over 90% energy saving compared to Incandescent Vintage Lamps.
- Super low energy consumption.

Technical Specification

Reference	
Guarantee	3 Years
EAN	5013588014418
Commodity Code	8539520000
Country of Origin	CN
UNSPSC Code	39101628

01441



Product Code





Technical Specification

Volts (V)	240
Watts (W)	4
Сар	ES/E27
Colour Temp (K)	2000
Dimmable?	No
Lumens (lm)	330
Life Hours	15000
Beam Angle	300°
Energy Rating	G
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
LED Drive Current	31mA
Energy Consumption (kWh/1000h)	4
Dimensions	
Height (mm)	130
Diameter (mm)	30
Packaging Information	
Single Carton Height (mm)	150
Single Carton Width (mm)	40
Single Carton Depth (mm)	40
Single Carton Weight (kg)	0.05
Individual Volume	0.00024
Inner Box Qty	10
Inner Box Height (mm)	160
Inner Box Width (mm)	220
Inner Box Depth (mm)	90
Inner Box Weight (kg)	0.6
Outer Box Qty	50
Outer Box Height (mm)	180
Outer Box Width (mm)	480
Outer Box Depth (mm)	240







Lamps / LED

LED 4W Dimmable Vintage Amber 110mm Tubular - BC - 2000K



The LED Vintage Lamp has become one of the most recognisable lamp types on the market. Widely used in the hospitality sector and domestically alike, the LED Vintage Lamp combines a traditional look with the energy saving benefits of LED Lighting. The Vintage Tubular's can provide a distinctive look when illuminated in any bar or restaurant.

- Dimmable and Non-Dimmable available.
- Special extended filament to replicate traditional vintage amber glow.
- Amber Glass Coating For Decorative Vintage Look.
- Over 90% energy saving compared to Incandescent Vintage Lamps.
- Super low energy consumption.

Technical Specification

Reference	
Guarantee	3 Years
EAN	5013588015002
Commodity Code	8539229090
Country of Origin	CN
UNSPSC Code	39101628

01500



Product Code





Technical Specification

Volts (V)	240
Watts (W)	4
Cap	BC/B22
Colour Temp (K)	2000
Dimmable?	Yes
Lumens (lm)	330
Life Hours	15000
Beam Angle	300°
Energy Rating	G
CRI (ra)	85
Switching Cycles	8000
Frequency (Hz)	50/60
LED Drive Current	20mA
Energy Consumption (kWh/1000h)	4
Dimensions	
	440
Height (mm)	<u>110</u> <u>45</u>
Diameter (mm)	43
Packaging Information	
Single Carton Height (mm)	130
Single Carton Width (mm)	50
Single Carton Depth (mm)	50
Single Carton Weight (kg)	0.06
Individual Volume	0.00033
Inner Box Qty	20
Inner Box Height (mm)	150
Inner Box Width (mm)	270
Inner Box Depth (mm)	210
Inner Box Weight (kg)	1.2
Outer Box Qty	100
Outer Box Height (mm)	230
Outer Box Width (mm)	770
Outer Box Depth (mm)	290

