

# Product datasheet

Specifications



## Kavacha - 13A - 250V - Surface Mount 1 Pole Switched Socket - IP56

CSC313\_GY

### Main

Range of product	Kavacha
Range	Kavacha
Product or component type	Switched socket
Device short name	AS
Device application	Power supply

### Complementary

wiring device mounting	Surface
Switch function	1-pole
Rated current	13 A at 250 V AC
Poles description	1P
Width	80 mm
Height	160 mm
Depth	80 mm

### Environment

IP degree of protection	IP56
Standards	BS 1363-2 IEC 60529

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	8.5 cm
Package 1 Length	18 cm
Package 1 Weight	333.333 g
Unit Type of Package 2	CAR
Number of Units in Package 2	30
Package 2 Height	27.7 cm
Package 2 Width	35.8 cm
Package 2 Length	35.8 cm

<b>Package 2 Weight</b>	10000 g
<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	480
<b>Package 3 Height</b>	130 cm
<b>Package 3 Width</b>	80 cm
<b>Package 3 Length</b>	120 cm
<b>Package 3 Weight</b>	178000 g

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Eu Rohs Directive

Under investigation

---